575

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
D. Baltimore
D. Branton
J. Cairns
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. Klug
D. E. Koshland
D. C. Phillips
L. Stryer
A. Tissières
G. M. Tomkins
P. M. B. Walker
J. Wyman

UNIVERSITY OF HAWAII
LIBRARY
FEB 5 3 46PM '73
LIBRARY USE ONLY

301
J73

VOLUME 67
14 June 1972 to 28 June 1972

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1972, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 67

NUMBER 1, 14 JUNE 1972

COOPER, P. K. and HANAWALT, P. C., Heterogeneity of Patch Size in Repair Replicated DNA in *Escherichia coli* 1

BLAMIRE, J., CRYER, D. R., FINKELSTEIN, D. B. and MARMUR, J., Sedimentation Properties of Yeast Nuclear and Mitochondrial DNA 11

FULLER, W. D., SANCHEZ, R. A. and ORGEL, L. E., Studies in Prebiotic Synthesis. VI. Synthesis of Purine Nucleosides 25

GOLDMAN, E. and LODISH, H. F., Specificity of Protein Synthesis by Bacterial Ribosomes and Initiation Factors: Absence of Change after Phage T4 Infection 35

CLOWES, A. W., CHERRY, R. J. and CHAPMAN, D., Physical Effects of Tetanus Toxin on Model Membranes Containing Ganglioside 49

TANFORD, C., Hydrophobic Free Energy, Micelle Formation and the Association of Proteins with Amphiphiles 59

SMITH, R. and TANFORD, C., The Critical Micelle Concentration of L-α-dipalmitoylphosphatidylcholine in Water and Water/Methanol Solutions . . 75

URATANI, Y., ASAKURA, S. and IMAHORI, K., A Circular Dichroism Study of *Salmonella* Flagellin: Evidence for Conformational Change on Polymerization 85

ROUSSEAU, G. G., BAXTER, J. D. and TOMKINS, G. M., Glucocorticoid Receptors: Relations between Steroid Binding and Biological Effects 99

SMALL, J. V. and SQUIRE, J. M., Structural Basis of Contraction in Vertebrate Smooth Muscle 117

WRIGHT, C. S., Comparison of the Active Site Stereochemistry and Substrate Conformation in α-Chymotrypsin and Subtilisin BPN′ 151

LETTER TO THE EDITOR—

JONARD, G., WITZ, J. and HIRTH, L., Formation of Nucleoprotein Complexes from Dissociated Turnip Yellow Mosaic Virus RNA and Capsids at Low pH: Preliminary Observations 165

ANNOUNCEMENT 171

NUMBER 2, 20 JUNE 1972

WHITING, R. F. and OTTENSMEYER, F. P., Heavy Atoms in Model Compounds and Nucleic Acids Imaged by Dark Field Transmission Electron Microscopy 173

BAUER, W. R., Structure of DNA in Denaturing Solvents. I. Bacteriophage PM2 DNA in Aqueous Sodium Perchlorate 183

BOTH, G. W., MCINNES, J. L., HANLON, J. E., MAY, B. K. and ELLIOTT, W. H., Evidence for an Accumulation of Messenger RNA Specific for Extracellular Protease and its Relevance to the Mechanism of Enzyme Secretion in Bacteria 199

TAI, P.-C. and DAVIS, B. D., Transfer RNA Content of Runoff and Complexed Ribosomes of *Escherichia coli* 219

TATA, J. R., HAMILTON, M. J. and COLE, R. D., Membrane Phospholipids Associated with Nuclei and Chromatin: Melting Profile, Template Activity and Stability of Chromatin 231

KOSMAN, D. J., Electron Paramagnetic Resonance Probing of Macromolecules: a Comparison of Structure/Function Relationships in Chymotrypsinogen, α-Chymotrypsin and Anhydrochymotrypsin 247

HUANG, K. and CANTOR, C. R., Surface Topography of the 30 s *Escherichia coli* Ribosomal Subunit: Reactivity towards Fluorescein Isothiocyanate . 265

THURIAUX, P., RAMOS, F., PIÉRARD, A., GRENSON, M. and WIAME, J. M., Regulation of the Carbamoylphosphate Synthetase belonging to the Arginine Biosynthetic Pathway of *Saccharomyces cerevisiae* . . . 277

DURHAM, A. C. H., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus Protein. I. Sedimentation Studies 289

DURHAM, A. C. H. and FINCH, J. T., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus Protein. II. Electron Microscope Observations of the Larger Polymers 307

DURHAM, A. C. H. and KLUG, A., Structures and Roles of the Polymorphic Forms of Tobacco Mosaic Virus Protein. III. A Model for the Association of A-protein into Disks 315

LETTER TO THE EDITOR—

STEINSCHNEIDER, A. and LESHEM, B., Nearest-neighbour Effects: Reactivity towards Methoxyamine of Cytidine, Cytidine Monophosphates and Cytidine Dinucleoside Monophosphates 333

ERRATUM 339

NUMBER 3, 28 JUNE 1972

DELIUS, H., MANTELL, N. J. and ALBERTS, B., Characterization by Electron Microscopy of the Complex Formed between T4 Bacteriophage Gene *32*-protein and DNA 341

HEHLMANN, R. and HATTMAN, S., Mutants of Bacteriophage T2 *gt* with altered DNA Methylase Activity 351

RUBIN, R. L. and MOUDRIANAKIS, E. N., Co-operative Binding of Histones to DNA 361

POHL, F. M. and JOVIN, T. M., Salt-induced Co-operative Conformational Change of a Synthetic DNA: Equilibrium and Kinetic Studies with Poly-(dG-dC) 375

ADESNIK, M. and DARNELL, J. E., Biogenesis and Characterization of Histone Messenger RNA in HeLa Cells 397

WU, A. M., GHOSH, S., ECHOLS, H. and SPIEGELMAN, W. G., Repression by the *cI* Protein of Phage λ: *in vitro* Inhibition of RNA Synthesis 407

WU, A. M., GHOSH, S. and ECHOLS, H., Repression by the *cI* Protein of Phage λ: Interaction with RNA Polymerase 423

REEDER, R. H. and ROEDER, R. G., Ribosomal RNA Synthesis in Isolated Nuclei 433

WATANABE, S., Interaction of Siomycin with the Acceptor Site of *Escherichia coli* Ribosomes 443

ANDERSON, J. M., CHEN, H. H., RIPPON, W. B. and WALTON, A. G., Characterization of Three Sequential Polydipeptides containing Glycine 459

GOLL, D. E., SUZUKI, A., TEMPLE, J. and HOLMES, G. R., Studies on Purified α-Actinin. I. Effect of Temperature and Tropomyosin on the α-Actinin/F-Actin Interaction 469

STROMER, M. H. and GOLL, D. E., Studies on Purified α-Actinin. II. Electron Microscopic Studies on the Competitive Binding of α-Actinin and Tropomyosin to Z-line Extracted Myofibrils 489

DLOUHA, V. K. and KEIL, B., A Tryptophan Residue in Bovine Trypsinogen essential for its Potential Enzymic Activity and for its Interaction with Basic Pancreatic Trypsin Inhibitor 495

LETTERS TO THE EDITOR—

NOGUTI, T. and KADA, T., Semi-*in vitro* Repair of Radiation-induced Damage in Transforming DNA of *Bacillus subtilis* 507

TANNER, D., NOBREGA, F. G. and OISHI, M., 5′-Oligonucleotides as the Acid-soluble Products of the ATP-dependent DNase from *Escherichia coli* 513

MARBAIX, G. and LANE, C. D., Rabbit Haemoglobin Synthesis in Frog Cells. II. Further Characterization of the Products of Translation of Reticulocyte 9 s RNA 517

ASCHAFFENBURG, R., FENNA, R. E., HANDFORD, B. O. and PHILLIPS, D. C., Crystallography of α-Lactalbumin. I. Low-salt Crystals of Goat α-Lactalbumin 525

Aschaffenburg, R., Fenna, R. E. and Phillips, D. C., Crystallography of α-Lactalbumin. II. High-salt Crystals of Goat α-Lactalbumin . . 52

Yamagata, H. and Uchida, H., Spectinomycin Resistance Mutations affecting the Stability of Sex-factors in *Escherichia coli* . . . 53

Wassarman, P. M. and Burgner, J. W., II., Kinetics of Unfolding of Dogfish Muscle Lactate Dehydrogenase in the Presence of Guanidine Hydrochloride 53

Index to Volume 67

A-protein of tobacco mosaic virus, model for association into disks, 315
α-Actinin and tropomyosin, electron microscopic studies on the competitive binding to Z-line extracted myofibrils, 489
— — F-actin interaction, effect of temperature and tropomyosin, 469
Active site stereochemistry and substrate conformation, comparison in α-chymotrypsin and subtilisin BPN′, 151
Adenosine triphosphate-dependent DNase from *Escherichia coli*, 5′-oligonucleotides as the acid-soluble products, 513
Adesnik, M. & Darnell, J. E., Biogenesis and characterization of histone mRNA in HeLa cells, 397
Alberts, B. (see also Delius, H.), 341
Amphiphiles, micelle formation and the association of proteins, 59
Anderson, J. M., Chen, H. H., Rippon, W. B. & Walton, A. G., Characterization of three sequential polydipeptides containing glycine, 459
Androchymotrypsin, α-chymotrypsin and chymotrypsinogen, E.P.R. structure/function relationships, 247
Arginine biosynthetic pathway, regulation of the carbamoylphosphate synthetase in *Saccharomyces cerevisiae*, 277
Asakura, S. (see also Uratani, Y.), 85
Aschaffenburg, R., Fenna, R. E., Handford, B. O. & Phillips, D. D., Crystallography of α-lactalbumin. I. Low-salt crystals of goat α-lactalbumin, 525
— — — — — Phillips, D. C., Crystallography of α-lactalbumin. II. High-salt crystals of goat α-lactalbumin, 529

Bacillus subtilis, semi-*in vitro* repair of radiation-induced damage in transforming DNA, 507
Bacteria, evidence for accumulation of mRNA specific for extracellular protease, 199
Bacterial ribosomes and initiation factors, absence of change in protein synthesis specificity after infection with bacteriophage T4, 35
Bacteriophage λ *cI* protein, interaction with RNA polymerase during repression, 423
— — — repression inhibits *in vitro* RNA synthesis, 407
— PM2 DNA in aqueous sodium perchlorate, 183
— T2 *gt* mutants with altered DNA methylase activity, 351
— T4, absence of change in specificity of protein synthesis by bacterial ribosomes and initiation factors after infection, 35
— T4 gene 32-protein and DNA complex, characterization by electron microscopy, 341
Bauer, W. R., Structure of DNA in denaturing solvents. I. Bacteriophage PM2 DNA in aqueous sodium perchlorate, 183
Baxter J. D. (see also Rousseau, G. G.), 99
Biogenesis and characterization of histone mRNA in HeLa cells, 397
Blamire, J., Cryer, D. R., Finkelstein, D. B. & Marmur, J., Sedimentation properties of yeast nuclear and mitochondrial DNA, 11
Both, G. W., McInnes, J. L., Hanlon, J. E., May, B. K. & Elliott, W. H., Evidence for an accumulation of messenger RNA specific for extracellular prorease and its relevance to the mechanism of enzyme secretion in bacteria, 199
Bovine trypsinogen, a tryptophan residue essential for its potential enzymic activity and for its interaction with basic pancreatic trypsin inhibitor, 495
Burgner, J. W. (see also Wassarman, P. M.), 537

Cantor, C. R. (see also Huang, K.), 265
Capsids, formation of nucleoprotein complexes from dissociated turnip yellow mosaic virus RNA and capsids at low pH, 165
Carbamoylphosphate synthetase of the arginine biosynthetic pathway, regulation in *Saccharomyces cerevisiae*, 277
Chapman, D. (see also Clowes, A. W.), 49

Chen, H. H. (see also Anderson, J. M.), 459
Cherry, R. J. (see also Clowes, A. W.), 49
Chromatin associated with membrane phospholipids: melting profile, template activity and stability, 231
α-Chymotrypsin, chymotrypsinogen and androchymotrypsin, E.P.R. used to compare structure/function relationships, 247
— and subtilisin BPN′, comparison of active site stereochemistry and substrate conformation, 151
Circular dichroism study of *Salmonella* flagellin, evidence for conformational change on polymerization, 85
Clowes, A. W., Cherry, R. J. & Chapman, D., Physical effects of tetanus toxin on model membranes containing ganglioside, 49
Cole, R. D. (see also Tata, J. R.), 231
Co-operative binding of histones to DNA, 361
— conformational change of poly(dG–dC), salt-induced, equilibrium and kinetic studies, 375
Cooper, P. K. & Hanawalt, P. C., Heterogeneity of patch size in repair replicated DNA in *Escherichia coli*, 1
Cryer, D. R. (see also Blamire, J.), 11
Cytidine, cytidine monophosphates and cytidine dinucleoside monophosphates, reactivity towards methoxyamine, 333

Dark field transmission electron microscopy used to image heavy atoms in model compounds and nucleic acids, 173
Darnell, J. E. (see also Adesnik, M.), 397
Davis, B. D. (see also Tai, P.-C.), 219
Dehydrogenase, lactate, of dogfish muscle in the presence of guanidine hydrochloride, unfolding kinetics, 537
Delius, H., Mantell, N. J. & Alberts, B., Characterization by electron microscopy of the complex formed between T4 bacteriophage gene *32*-protein and DNA, 341
Deoxyribonuclease, 5′-oligonucleotides as the acid-soluble products of the ATP-dependent DNase from *Escherichia coli*, 513
Deoxyribonucleic acid of bacteriophage PM2 in aqueous sodium perchlorate, 183
— —, co-operative binding with histones, 361
— —methylase, altered activity in bacteriophage T2 *gt* mutants, 351
— — repair replicated, in *Escherichia coli*, heterogeneity of patch size, 1
— —, sedimentation properties of yeast nuclear and mitochondrial DNA, 11
— —, synthetic, salt-induced co-operative conformational change of poly(dG–dC), equilibrium and kinetic studies, 375
— — and T4 bacteriophage gene *32*-protein complex, characterization by electron microscopy, 341
— —, transforming, of *Bacillus subtilis*, semi-*in vitro* repair of radiation-induced damage, 507
L-α-Dipalmitoylphosphatidylcholine, critical micelle concentration in water and water/methanol solutions, 75
Dlouha, V. K. & Keil, B., A tryptophan residue in bovine trypsinogen essential for its potential enzymic activity and for its interaction with basic pancreatic trypsin inhibitor, 495
Dogfish muscle lactate dehydrogenase in the presence of guanidine hydrochloride, unfolding kinetics, 537
Durham, A. C. H., Structures and roles of the polymorphic forms of tobacco mosaic virus protein. I. Sedimentation studies, 289
— & Finch, J. T., Structures and roles of the polymorphic forms of tobacco mosaic virus protein. II. Electron microscope observations of the larger polymers, 307
— —Klug, A., Structures and roles of the polymorphic forms of tobacco mosaic virus protein. III. A model for the association of A-protein into disks, 315

Echols, H. (see also Wu, A. M.), 423
Electron microscope observations of the larger polymers of polymorphic forms of tobacco mosaic virus protein, 307
— — studies on the competitive binding of α-actinin and tropomyosin to Z-line extracted myofibrils, 489
— microscopy of the complex formed between T4 bacteriophage gene *32*-protein and DNA, 341
— —, dark field transmission used to image heavy atoms in model compounds and nucleic acids, 173
— paramagnetic resonance used to compare structure/function relationships in chymotrypsinogen, α-chymotrypsin and androchymotrypsin, 247
Elliott, W. H. (see also Both, G. W.), 199

Enzyme secretion in bacteria, 199
Escherichia coli, heterogeneity of patch size in repair replicated DNA, 1
— —, 5′-oligonucleotides as the acid-soluble products of the ATP-dependent DNase, 513
— — 30 s ribosomal subunit, reactivity towards fluorescein isothiocyanate, 265
— — ribosome acceptor site interaction with siomycin, 443
— —, spectinomycin-resistance mutations affecting the stability of sex-factors, 533
— —, tRNA content of runoff and complexed ribosomes, 219

Fenna, R. E. (see also Aschaffenburg, R.), 525, 529
Finch, J. T. (see also Durham, A. C. H.), 307
Finkelstein, D. B. (see also Blamire, J.), 11
Flagellin of *Salmonella*, circular dichroism study yields evidence for conformational change on polymerization, 85
Fluorescin isothiocyanate; reaction with the 30 s *E. coli* ribosomal subunit, 265
Frog cells, synthesis of rabbit haemoglobin, 517
Fuller, W. D., Sanchez, R. A. & Orgel, L. E., Studies in prebiotic synthesis. VI. Synthesis of purine nucleosides, 25

Ganglioside-containing model membranes, physical effects of tetanus toxin, 49
Ghosh, S. (see also Wu, A. M.), 407, 423
Glucocorticoid receptors, relations between steroid binding and biological effects, 99
Glycine-containing sequential polydipeptides, characterization, 459
Goat α-lactalbumin, high-salt crystals, 529
— — — low-salt crystals, 525
Goldman, E. & Lodish, H. F., Specificity of protein synthesis by bacterial ribosomes and initiation factors: absence of change after phage T4 infection, 35
Goll, D. E. (see also Stromer, M. H.), 489
—, Suzuki, A., Temple, J. & Holmes, G. R., Studies on purified α-actinin. I. Effect of temperature and tropomyosin on the α-actinin/F-actin interaction, 469
Grenson, M. (see also Thuriaux, P.), 277
Guanidine hydrochloride, effect on dogfish muscle lactate dehydrogenase, unfolding kinetics, 537

Haemoglobin, rabbit, synthesis in frog cells, 517
Hamilton, M. J. (see also Tata, J. R.), 231
Hanawalt, P. C. (see also Cooper, P. K.), 1
Handford, B. O. (see also Aschaffenburg, R.), 525
Hanlon, J. E. (see also Both, G. W.), 199
Hattmann, S. (see also Hehlmann, R.), 351
Heavy atoms in model compounds and nucleic acids imaged by dark field transmission electron microscopy, 173
Hehlmann, R. & Hattman, S., Mutants of bacteriophage T2 *gt* with altered DNA methylase activity, 351
HeLa cells, biogenesis and characterization of histone mRNA, 397
Hirth, L. (see also Jonard, G.), 165
Histone mRNA in HeLa cells, biogenesis and characterization, 397
Histones, co-operative binding to DNA, 361
Holmes, G. R. (see also Goll, D. E.), 469
Huang, K. & Cantor, C. R., Surface topography of the 30 s *E. coli* ribosomal subunit: reactivity towards fluorescein isothiocyanate, 265
Hydrophobic free energy, micelle formation and the association of proteins with amphiphiles, 59

Imahori, K. (see also Uratani, Y.), 85
Initiation factors, absence of change in specificity of protein synthesis after the bacteria are infected with phage T4, 35

Jonard, G., Witz, J. & Hirth, L., RNA protein interactions in turnip yellow mosaic virus: preliminary observations on the reassociation of RNA and capsids at low pH, 165
Jovin, T. M. (see also Pohl, F. M.), 375

Kada, T. (see also Noguti, T.), 507
Keil, B. (see also Dlouha, V. K.), 495
Klug, A. (see also Durham, A. C. H.), 315

Kosman, D. J., Electron paramagnetic resonance probing of macromolecules: a comparison of structure/function relationships in chymotrypsinogen, α-chymotrypsin and anhydrochymotrypsin, 247

λ (see Bacteriophage)
α-Lactalbumin of goat, high-salt crystals, 529
— — — —, low-salt crystals, 525
Lactate dehydrogenase of dogfish muscle in the presence of guanidine hydrochloride, unfolding kinetics, 537
Lane, C. D. (see also Marbaix, G.), 517
Leshem, B. (see also Steinschneider, A.,), 333
Lodish, H. F. (see also Goldman, E.), 35

Mantell, N. J. (see also Delius, H.), 341
Marbaix, G. & Lane, C. D., Rabbit haemoglobin synthesis in frog cells. II. Further characterization of the products of translation of reticulocyte 9 s RNA, 517
Marmur, J. (see also Blamire, J.), 11
May, B. K. (see also Both, G. W.), 199
McInnes, J. L. (see also Both, G. W.), 199
Membrane phospholipids associated with nuclei and chromatin: melting profile, template activity and stability of chromatin, 231
Messenger RNA in HeLa cells for histone; biogenesis and characterization, 397
— — specific for extracellular protease, evidence for accumulation in bacteria, 199
Methoxyamine, reactivity of cytidine, cytidine monophosphates and cytidine dinucleoside monophosphates, 333
Methylase, DNA, altered activity in bacteriophage T2 *gt* mutants, 351
Micelle, critical concentration of L-α-dipalmitoyl-phosphatidylcholine in water and water/methanol solutions, 75
— formation and the association of proteins with amphiphiles, 59
Mitochondrial DNA of yeast, sedimentation properties, 11
Model membranes containing ganglioside, physical effects of tetanus toxin, 49
Moudrianakis, E. N. (see also Rubin, R. K.), 361
Muscle lactate dehydrogenase of dogfish in the presence of guanidine hydrochloride, unfolding kinetics, 537
— of vertebrate, smooth, structural basis of contraction, 117
Mutants of phage T2 *gt* with altered methylase activity, 351
Myofibrils, Z-line extracted, competitive binding of tropomyosin and α-actinin studied by electron microscopy, 489

Nobrega, F. G. (see also Tanner, D.), 513
Noguti, T. & Kada, T., Semi-*in vitro* repair of radiation-induced damage in transforming RNA of *Bacillus subtilis*, 507
Nucleic acids and model compounds containing heavy atoms imaged by dark field transmission electron microscopy, 173
Nuclear DNA of yeast, sedimentation properties, 11
Nucleoprotein complex formation from dissociated turnip yellow mosaic virus RNA and capsids at low pH, 165
Nucleosides, purine, prebiotic synthesis, 25

Oishi, M. (see also Tanner, D.), 513
5′-Oligonucleotides as the acid-soluble products of the ATP-dependent DNase from *Escherichia coli*, 513
Orgel, L. E. (see also Fuller, W. D.), 25
Ottensmeyer, F. P. (see also Whiting, R. F.), 173

Pancreatic trypsin inhibitor, basic, interaction with bovine trypsinogen, essential tryptophan residue, 495
Patch size heterogeneity in repair replicated DNA in *Escherichia coli*, 1
Phillips, D. C. (see Aschaffenburg, R.), 525, 529
Piérard, A. (see also Thuriaux, P.), 277

Pohl, F. M. & Jovin, T. M., Salt-induced co-operative conformational change of a synthetic DNA: equilibrium and kinetic studies with poly (dG–dC), 375
Phospholipids, membrane, associated with nuclei and chromatin: melting profile, template activity and stability of chromatin, 231
PM2 (see Bacteriophage)
Polydipeptides, three sequential, containing glycine, characterization, 459
Polymerase, RNA, interaction with the *cI* protein of phage λ during repression, 423
Polymerization of *Salmonella* flagellin, conformational change: evidence from circular dichroism study, 85
Polymorphic forms of tobacco mosaic virus protein, a model for the association of the A-protein into disks, 315
Prebiotic synthesis of purine nucleosides, 25
Protease, extracellular, evidence for accumulation of specific mRNA in bacteria, 199
Protein synthesis, absence of change in specificity due to bacterial ribosomes and initiation factors, 35
Proteins, association with amphiphiles, 59
Purine nucleosides, prebiotic synthesis, 25

Rabbit haemoglobin synthesis in frog cells, 517
Radiation-induced damage in transforming DNA of *Bacillus subtilis*, semi-*in vitro* repair, 507
Ramos, F. (see also Thuriaux, P.), 277
Reeder, R. H. & Roeder, R. G., Ribosomal RNA synthesis in isolated nuclei, 433
Repression by the *cI* protein of phage λ, *in vitro* inhibition of RNA synthesis, 407
Ribonucleic acid, formation of nucleoprotein complexes from dissociated turnip yellow mosaic virus RNA and capsids at low pH, 165
— —, messenger for histone in HeLa cells, biogenesis and characterization, 397
— —, —, specific for extracellular protease, evidence for its accumulation in bacteria, 199
— — polymerase interaction with the *cI* protein of phage λ during repression, 423
— —, products of translation of reticulocyte 9 s RNA during rabbit haemoglobin synthesis in frog cells, 517
— —, ribosomal, synthesis in isolated nuclei, 433
— — synthesis inhibition *in vitro* due to repression by the *cI* protein of phage λ, 407
— —, transfer, content of runoff and complexed ribosomes of *Escherichia coli*, 219
Ribosomal RNA synthesis in isolated nuclei, 433
— subunit of *Escherichia coli*, 30 s, reactivity towards fluorescein isothiocyanate, 265
Ribosomes, bacterial, absence of change in specificity of protein synthesis after infection with phage T4, 35
— of *Escherichia coli*, interaction of siomycin with the acceptor site, 443
— runoff and complexed, of *Escherichia coli*, tRNA content, 219
Rippon, W. B. (see also Anderson, J. M.), 459
Roeder, R. G. (see also Reeder, R. H.), 433
Rousseau, G. G., Baxter, J. D. & Tomkins, G. M., Glucocorticoid receptors: relations between steroid binding and biological effects, 99
Rubin, R. K. & Moudrianakis, E. N., Co-operative binding of histones to DNA, 361

Saccharomyces cerevisiae, regulation of the carbamoyl-phosphate synthetase of the arginine biosynthetic pathway, 277
Salmonella flagellin, circular dichroism study yields evidence for conformational change on polymerization, 85
Sanchez, R. A. (see also Fuller, W. D.), 25
Sedimentation properties of yeast nuclear and mitochondrial DNA, 11
— studies of polymorphic forms of tobacco mosaic virus protein, 289
Sex-factors, spectinomycin-resistance mutations affecting their stability in *Escherichia coli*, 533
Siomycin interaction with the acceptor site of *Escherichia coli* ribosomes, 443
Small, J. V. & Squire, J. M., Structural basis of contraction in vertebrate smooth muscle, 117
Smith, R. & Tanford, C., The critical micelle concentration of L-α-dipalmitoylphosphatidylcholine in water and water/methanol solutions, 75
Smooth muscle of vertebrate, structural basis of contraction, 117
Sodium perchlorate, aqueous, effect on structure of bacteriophage PM2 DNA, 183
Spectinomycin-resistance mutations affecting the stability of sex-factors in *Escherichia coli*, 533
Spiegelman, W. G. (see also Wu, A. M.), 407, 423
Squire, J. M. (see also Small, J. V.), 117

Steinschneider, A. & Leshem, B., Nearest-neighbour effects: reactivity towards methoxyamine of cytidine, cytidine monophosphates and cytidine dinucleoside monophosphates, 333
Stereochemistry of the active site and substrate conformation, comparison in α-chymotrypsin and subtilisin BPN′, 151
Steroid binding and biological effects, relationship in glucocorticoid receptors, 99
Stromer, M. H. & Goll, D. E., Studies on purified α-actinin. II. Electron microscopic studies on the competitive binding of α-actinin and tropomyosin to Z-line extracted myofibrils, 489
Subtilisin BPN′ and α-chymotrypsin, comparison of active site stereochemistry and substrate conformation, 151
Suzuki, A. (see also Goll, D. E.), 469
Synthetase for carbamoylphosphate of the arginine biosynthetic pathway, regulation in *Saccharomyces cerevisiae*, 277

T2 (see Bacteriophage)
T4 (see Bacteriophage)
Tai, P.-C. & Davis, B. D., Transfer RNA content of runoff and complexed ribosomes of *Escherichia coli*, 219
Tanford, C., Hydrophobic free energy, micelle formation, and the association of proteins with amphiphiles, 59
— (see also Smith, R.), 75
Tanner, D., Nobrega, F. G. & Oishi, M., 5′-Oligonucleotides as the acid-soluble products of the ATP-dependent DNase from *E. coli*, 513
Tata, J. R., Hamilton, M. J. & Cole, R. D., Membrane phospholids associated with nuclei and chromatin: melting profile, template activity and stability of chromatin, 231
Temple, J. (see also Goll, D. E.), 469
Tetanus toxin, physical effects in model membranes containing ganglioside, 49
Thuriaux, P., Ramos, F., Piérard, A., Grenson, M. & Wiame, J. M., Regulation of the carbamoylphosphate synthetase belonging to the arginine biosynthetic pathway of *Saccharomyces cerevisiae*, 277
Tobacco mosaic virus protein, polymorphic forms, electron microscope observations of the larger polymers, 307
— — — — — —, a model for the association of A-protein into disks, 315
— — — —: sedimentation studies of polymorphic forms, 289
Tomkins, G. M. (see also Rousseau, G. G.), 99
Transfer RNA content of runoff and complexed ribosomes of *Escherichia coli*, 219
Transforming DNA of *Bacillus subtilis*, semi-*in vitro* repair of radiation-induced damage, 507
Translation product characterization of reticulocyte 9 s RNA during rabbit haemoglobin synthesis in frog cells, 517
Tropomyosin and α-actinin, electron microscopic studies on the competitive binding to Z-line extracted myofibrils, 489
—, effect on α-actinin/F-actin interaction, 469
Trypsinogen, bovine, a tryptophan residue essential for its potential enzymic activity and for its interaction with basic pancreatic trypsin inhibitor, 495
Tryptophan residue in bovine trypsinogen essential for its potential enzymic activity and for its interaction with basic pancreatic trypsin inhibitor, 495
Turnip yellow mosaic virus RNA and capsids at low pH, dissociated, formation of nucleoprotein complexes, 165

Uchida, H. (see also Yamagata, H.), 533
Uratani, Y., Asakura, S. & Imahori, K., A circular dichroism study of *Salmonella* flagellin: evidence for conformational change on polymerization, 85

Vertebrate smooth muscle, structural basis of contraction, 117
Virus (see Tobacco mosaic)
Virus (see Turnip yellow mosaic)

Walton, A. G. (see also Anderson, J. M.), 459
Wassarman, P. M. & Burgner, J. W., Kinetics of unfolding of dogfish muscle lactate dehydrogenase in the presence of guanidine hydrochloride, 537
Watanabe, S., Interaction of siomycin with the acceptor site of *Escherichia coli* ribosomes, 443

Whiting, R. F. & Ottensmeyer, F. P., Heavy atoms in model compounds and nucleic acids imaged by dark field transmission electron microscopy, 173
Wiame, J. M. (see also Thuriaux, P.), 277
Witz, J. (see also Jonard, G.), 165
Wright, C. S., Comparison of the active site stereochemistry and substrate conformation in α-chymotrypsin and subtilisin BPN′, 151
Wu, A. M., Ghosh, S. & Echols, H., Repression by the *cI* protein of phage λ: interaction with RNA polymerase, 423
—, —, —, & Spiegelman, W. G., Repression by the *cI* protein of phage λ: *in vitro* inhibition of RNA synthesis, 407

Yamagata, H. & Uchida, H., Spectinomycin-resistance mutations affecting the stability of sex-factors in *Escherichia coli*, 533
Yeast nuclear and mitochondrial DNA sedimentation properties, 11

Z-line extracted myofibrils, competitive binding of tropomyosin and α-actinin studied by electron microscopy, 489